



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD
LOG A-1283

MAY 22 9 16 AM '00

FILE: 6446.40

LIBRARY: _____

-- 2985

George V. Voinovich
Governor

May 19, 2000

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

RE: AMENDMENT TO MSS IMPLEMENTATION PLAN

Dear Mr. Reising:

This letter provides Ohio Environmental Protection Agency approval of the Task Order Implementation Schedule for Decontamination and Dismantlement of Four Components under the Miscellaneous Small Structures D & D Project. The four components in this plan are the NFS Storage & Pump House, the Security Building, the Industrial Relations Building and the Main Guard House. This approval also extends to the amendment to the MSS Implementation Plan which brings three of these components within its scope.

If you have any questions, please contact Tom Ontko or me.

Sincerely,

For Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Mark Shupe, HSI GeoTrans
Francie Hodge, Tetra Tech EM Inc.
Ruth Vandergrift, ODH

Q:\femp\ou3\mssadare.wpd

